

Prepared for:
CannaKoru

425 S. Bowen Street #4
Longmont, CO USA 80501

500mg CBDv Tincture

Batch ID or Lot Number: E3AVLKS	Test: Potency	Reported: 10May2023	USDA License: N/A
Matrix: Unit	Test ID: T000243402	Started: 08May2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 05May2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.087	6.000	ND	ND	# of Servings = 1, Sample Weight=30g
Cannabichromenic Acid (CBCA)	1.909	5.488	ND	ND	
Cannabidiol (CBD)	6.038	15.695	29.360	1.00	
Cannabidiolic Acid (CBDA)	6.193	16.097	ND	ND	
Cannabidivarin (CBDV)	1.428	3.712	534.540	17.80	
Cannabidivarinic Acid (CBDVA)	2.584	6.715	ND	ND	
Cannabigerol (CBG)	1.185	3.407	ND	ND	
Cannabigerolic Acid (CBGA)	4.953	14.242	ND	ND	
Cannabinol (CBN)	1.546	4.445	ND	ND	
Cannabinolic Acid (CBNA)	3.379	9.717	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	5.900	16.967	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	5.359	15.410	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	4.748	13.653	ND	ND	
Tetrahydrocannabivarin (THCV)	1.078	3.099	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	4.188	12.042	ND	ND	
Total Cannabinoids			563.900	18.80	
Total Potential THC			ND	ND	
Total Potential CBD			29.360	1.00	

Final Approval



Karen Winternheimer
10May2023
04:03:00 PM MDT

PREPARED BY / DATE



Sam Smith
10May2023
04:06:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c6a4ac6a-cf50-4867-8f51-80895732d648>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
c6a4ac6acf5048678f5180895732d648.1